

Smart, Mark

From: Castricone, Diane
Sent: Wednesday, October 23, 2019 8:30 AM
To: Jeffrey Slark; prodnetdmria@gmail.com; Handler, Neil; Kim, Ed; McDonald, Marie; Jay Bizarro
Cc: stephanie.larson@des.nh.gov; Hilton, Joy (Palmer)
Subject: RE: NOTICE OF NON-RECEIPT for Report Required by Your Permit - Overdue DMRs by 7 days for Permit NH0000116

Hello, you should submit the DMR with a no data indicator and when you get the results go in and do a correction to that DMR and attach a note explaining why it was late. You will still be in violation for nonreporting until we get the update information but it will stop the automated emails being sent. If you have further questions feel free to contact us. thank you

Diane Castricone
Environmental Protection Specialist
Water Enforcement Section
(617) 918-1762
Fax (617) 918-0762

From: Jeffrey Slark <jslark@nycoa.com>
Sent: Wednesday, October 23, 2019 8:20 AM
To: netdmr-notification@epa.gov; prodnetdmria@gmail.com; Castricone, Diane <castricone.diane@epa.gov>; Handler, Neil <Handler.Neil@epa.gov>; Kim, Ed <Kim.Ed@epa.gov>; McDonald, Marie <mcdonald.marie@epa.gov>; Mirza, Sabah <Mirza.Sabah@epa.gov>; Jay Bizarro <jbizarro@nycoa.com>
Cc: stephanie.larson@des.nh.gov; Hilton, Joy (Palmer) <Hilton.Joy@epa.gov>
Subject: RE: NOTICE OF NON-RECEIPT for Report Required by Your Permit - Overdue DMRs by 7 days for Permit NH0000116
Importance: High

Good morning,

As previously addressed in another email to Stephanie Larson (NHDES) and Joy Hilton (EPA) prior to the due date, please see the message below:

Hello,

I want to make you aware of a report that you will be receiving through CDX NetDMR. During the week of 9/23/19, NYCOA hired a team to conduct Whole Effluent Toxicity (WET) testing in accordance with our newly updated permit requirements (NH0000116). I want to let you know that the test was performed within the proper timeframe required by the permit; however, the hired contractor made us aware that the results can take up to 30 days. In conclusion, I do not believe we will be able to make the October 15th reporting deadline. I will be sure to have the results and the report in CDX as soon as I receive them.

This had not been an annual requirement in the previous version of our permit, and since the permit was just updated in August, NYCOA needed some time to find and hire the necessary resources to conduct this test. Please let me know if this is acceptable, or if you have any questions.

Thank you,

Jeff Slark

EHS & Security Coordinator

**Nylon Corporation of America**

333 Sundial Ave.

Manchester, NH 03103

Phone: 603-627-5150 (x318)

Email: jslark@nycoa.com

From: netdmr-notification@epa.gov <netdmr-notification@epa.gov>**Sent:** Tuesday, October 22, 2019 11:10 PM**To:** Jeffrey Slark <jslark@nycoa.com>; prodnetdmria@gmail.com; castricone.diane@epa.gov; handler.neil@epa.gov; sbrown@nycoa.net; kim.ed@epa.gov; mcdonald.marie@epa.gov; mirza.sabah@epa.gov; Jay Bizarro <jbizarro@nycoa.com>**Subject:** NOTICE OF NON-RECEIPT for Report Required by Your Permit - Overdue DMRs by 7 days for Permit NH0000116

Dear Permittee or Authorized Representative:

We are contacting you to assist you in complying with your NPDES permit reporting requirements. This is a notification that we have not received a required discharge monitoring report, but is NOT an official notice of violation.

As of **10/22/2019**, the following Discharge Monitoring Reports (DMRs) are overdue to **EPA Region 01 - New Hampshire and Massachusetts** by 7 days:

Facility Name	NPDES ID	Permitted Feature - Designator	Monitoring Period End Date	DMR Due Date
NYLON CORPORATION OF AMERICA	NH0000116	004 - T	09/30/2019	10/15/2019

Failure to submit your DMR(s) in a timely fashion constitutes non-compliance with the requirements of your NPDES permit **NH0000116**. Please be sure to submit all overdue DMRs immediately via NetDMR.

If you have already submitted your DMR, please contact us immediately at the email address below so we can help resolve this problem. If you have questions, require technical assistance or think this information is in error, please email R1.NetDMR@epa.gov with your NPDES ID, your contact information, and specific information regarding the problem so we can investigate the issue. After you submit your overdue DMR(s) the system will automatically recognize that you have done this.

As a reminder, compliance information about your permit is available to the public on EPA's Enforcement Compliance History Online (ECHO) website at <https://echo.epa.gov>.

Sincerely,

